


CAYENNE

Low Storage Two Drawer



Low Storage Two Drawer







FEATURES

- Includes one box drawer and one file drawer, both with full extension slides
- Includes safety interlock, allowing just one drawer to open at a time
- Choose from two leg options, all 3" high
- Includes counterweight
- Cayenne cabinet and desk legs are painted 02R1 Nickel; any Metalworks cabinet or desk products may be painted that same color with no extra charge
- 12" drawer bins will accommodate A4, Letter, and Legal size filing

BASIC CONSTRUCTION

- The Cayenne cabinet and drawer front heights do not match those of IN-LINE storage
- Metal and laminate tops are 5/8" thick

OPTIONS AND ACCESSORIES

- Cayenne storage may be ordered with metal top, laminate top, or no top. The no top option should be used when ganging two cabinets side-by-side with a common laminate top
- · Cushions with non-slip backing are available in five sizes
- File conversion bars for front-to-back filing
- Magnetic drawer dividers for Cayenne box drawers

LOCK SYSTEM

- Keyed locks include LL series locks, keyed alike, bright nickel, master-keyed, and core-removable (may be keyed-alike in the field). Other key series are available
- Cayenne storage may not be ordered to include individually locking security drawers
- The Cayenne lock system captures just the right hand side of drawer fronts

SHELF LOAD CAPACITY

- Drawers and rollout shelf load capacity:
 -30", 36", and 42" wide shelves:125 lb
- Fixed and adjustable shelf load capacity:
 - 30": 95 lbs
 - 36": 116 lbs
 - 42": 136 lbs
- · Metal top load capacity:
 - 30": 140 lbs
- 36": 168 lbs
- 42": 192 lbs





Low Storage Two Drawer

AVAILABLE LOCKS, FRONTS & LEGS



















LL Series (Standard)

UM Series

SL Series

K Series

A. Full Pull

Q. Satin Nickel Bar Pull

S. Satin Nickel Loop Pull (Add "B" suffix for black pull)

S: Round

R: Rectangle

ORDERING GUIDE

Н	D	W	Тор	Pkg Wt	Pkg Cube	Part #	Front	Part #	Leg Style	Metal Color	Laminate Edge #
22-1/4	20	30	metal	125 lb	8.3 ft	M-CYL	?	R3L7	?	?	n/a
22-1/4	20	36	metal	145 lb	9.8 ft	M-CYL	?	R4L7	?	?	n/a
22-1/4	20	42	metal	165 lb	11.3 ft	M-CYL	?	U8L7	?	?	n/a
22-1/4	20	30	lam.	126 lb	8.3 ft	M-CYL	?	R3L7	?	?	?
22-1/4	20	36	lam.	146 lb	9.8 ft	M-CYL	?	R4L7	?	?	?
22-1/4	20	42	lam.	166 lb	11.3 ft	M-CYL	?	U8L7	?	?	?
21-5/8	20	30	none	118 lb	8.3 ft	M-CYL	?	R3L7	?	?	NT
21-5/8	20	36	none	137 lb	9.8 ft	M-CYL	?	R4L7	?	?	NT
21-5/8	20	42	none	155 lb	11.3 ft	M-CYL	?	U8L7	?	?	NT

